



 [www.ketegroup.com](http://www.ketegroup.com)

Company: **KETE GROUP LIMITED**

Office Add: No.22 Zhihui Industrial Zone, Shangwang Street, Ruian City, Wenzhou City,  
Zhejiang Province, China. 325200 (27.717861, 120.737336)

Tel/Fax: +85-577-66873227 / 66689036 / 66689037

E-mail: [sales@ketegroup.com](mailto:sales@ketegroup.com)

Skype: ketegroup    QQ:1285582818

 +86 18806770163 ([WhatsApp/Wechat](#))



**Customized Flexible Packaging Converting Machinery  
Integrations & Solutions**

[www.ketegroup.com](http://www.ketegroup.com)

# Flexible Printing and Packaging Machinery Efficient Manufacturing



**KETE GROUP LIMITED** as a comprehensive company and professional flexible packaging machines manufacturer was founded in **July 2011** by multifunctional printing and packaging machine factories in china. we use “**KETE**” as a leader brand for foreign market business. We can provide sustainable vertically integrated machinery solutions for printing and packaging and converting machines. In order to create more value and offer the one-step service for our customers, year by year we collect all the knowledge and resource to service our customers with complete solutions. Main included the non woven bag production line, paper bag production line, plastic bag production line, label production line, wine capsules

production line, Rhinestones production line etc. Paper straws production line

We had passed **ISO9001:2008** quality certificated system and **CE** safety certificated system, **RoHS** health safety certificated system. Benefit from good technology and capital resource, we pay high attention to the new product innovation and environmental protection. We are continuing increase our R&D and Technology invest for paper bag making machine, non woven bag making machine, degradable plastic bag making machine, water base flexographic printing machine and water base rotogravure printing machine. KETE People will keep Innovation for environmental responsibility.

In future we will keep our slogan “**Your Success is our Business**” continue creating value for customers and achieve self-worth. We are looking forward to cooperate with you soon!



## What Makes Us The Right Choice


We will help you choose the right converting machines for your business needs so you can Increase production capacity, Improve efficiency and quality

## High Value Products

KETE engineers seriously give feedback or discussion for your every single inquiry, and listening your idea to satisfy with your customized requirement by integrating all resources and gathering all the experiences we have.


## We Know More Than You Want

Our trained inspectors ensure every part will be well produced and inspected according to your specified standard and tolerances, with flexible manual measurement and high-tech measuring instrument. The inspection report from the third-party can also be issued.



# KTNW-A

## Series Fully Automatic Non Woven Bag Machine




### Feature:

This non woven bag machine is suitable to use roll-type non woven fabrics to make D cut bags Fully Automatic.



### Performance and Characteristics:

1. With PLC touch Screen Control System.
2. With Ultrasonic Sealing System.
3. Material feeding Control by Step motor.
4. Unwind with Auto Loading and EPC System.
5. With Auto Length Control System.
6. With Automatic Counting System.
7. With Auto Temperature Control System.
8. With Auto Photo Sensor Checking System.
9. D Cut Bag with Auto Banana Handle Punch System.



## Sample Details



## Main Technical Specification

| Model                   | KTNW-A600            |
|-------------------------|----------------------|
| Raw Material Width      | 1250mm               |
| Material Thickness      | 30-120gsm            |
| Raw Material Diameter   | 800mm                |
| Bag Making Speed        | 20-120pcs/min        |
| D cut Bag Width         | 100-800mm            |
| D cut Bag Height        | 200-580mm            |
| D cut Bag Top Gusset    | 40-80mm              |
| D cut Bag Bottom Gusset | 50-100mm             |
| D cut Bag Hole Size     | 20x80mm              |
| Total Power             | 10kw                 |
| Machine Weight          | 3000kg               |
| Machine Voltage         | 220v/ 380v           |
| Machine Size (LWH)      | 8500 x 2200 x 2100mm |

# KTNW-B

## Series Fully Automatic Non Woven Bag Making Machine





### Feature:

This non woven bag machine is suitable to use roll-type non woven fabrics to make D cut bags Fully Automatic.



### Performance and Characteristics:

1. With PLC touch Screen Control System.
2. With Ultrasonic Sealing System.
3. Material feeding Control by Step motor.
4. Unwind with Auto Loading and EPC System.
5. With Auto Length Control System.
6. With Automatic Counting System.
7. With Auto Temperature Control System.
8. With Auto Photo Sensor Checking System.
9. D Cut Bag with Auto Banana Handle Punch System.
10. T -shirt Bag with Auto W Cut and U Cut Punch system.



## Sample Details



## Main Technical Specification

| Model                       | KTNW-B600             |
|-----------------------------|-----------------------|
| Raw Material Width          | 1250mm                |
| Material Thickness          | 30-120gsm             |
| Raw Material Diameter       | 800mm                 |
| Bag Making Speed            | 20-120pcs/min         |
| D cut Bag Width             | 100-800mm             |
| D cut Bag Height            | 200-580mm             |
| D cut Bag Top Gusset        | 40-80mm               |
| D cut Bag Bag Bottom Gusset | 50-100mm              |
| D cut Bag Hole Size         | 20x80mm               |
| T-shirt Bag Width           | 200-450mm             |
| T-shirt Bag Length          | 100-800mm             |
| T-shirt Bag Side Gusset     | 50-100mm              |
| Total Power                 | 15kw                  |
| Machine Weight              | 3500kg                |
| Machine Voltage             | 220v/ 380v            |
| Machine Size (LWH)          | 10500 x 2200 x 2100mm |

# KTNW-E

## Series Fully Automatic Non Woven Bag Making Machine



### Feature:

This fully automatic non woven bag making machine is suitable to use roll non woven fabrics to make D cut bags, T-shirt bags, soft-loop handle bags, Box bottom bags fully Automatic. It is a high efficient bag making machine.



### Performance and Characteristics:

1. With PLC touch Screen Control System.
2. With Ultrasonic Sealing System.
3. Material feeding Control by Step motor.
4. Unwind with Auto Loading and EPC System.
5. With Auto Length Control System.
6. With Automatic Counting System.
7. With Auto Temperature Control System.
8. With Auto Photo Sensor Checking System.
9. D Cut Bag with Auto Banana Handle Punch System.
10. T -shirt Bag with Auto W Cut and U Cut Punch system.
11. With Auto Soft Loop Handle Attached System.




## Main Technical Specification

| Model                        | KTNW-E600         |
|------------------------------|-------------------|
| Material Thickness           | 30-120gsm         |
| Raw Material Width           | 1250mm            |
| Raw Material Diameter        | 800mm             |
| Bag Making Speed             | 20-100 pcs/min    |
| D cut Bag Width              | 100-800mm         |
| D cut Bag Height             | 200-580mm         |
| D cut Bag Top Gusset         | 40-80mm           |
| D cut Bag Bottom Gusset      | 50-100mm          |
| D cut Bag Hole Size          | 20x80mm           |
| T-shirt Bag Width            | 200-450mm         |
| T-shirt Bag Length           | 100-800mm         |
| T-shirt Bag Side Gusset      | 50-100mm          |
| Soft-loop Handle Width       | 25 / 28 / 30mm    |
| Soft-loop Handle Length      | 380-580mm         |
| Soft-loop Handle Spot Width  | 120-200mm         |
| Box Bag Side & Bottom Gusset | 50-75mm           |
| Total Power                  | 18kw              |
| Machine Weight               | 4000kw            |
| Machine Voltage              | 220v/ 380v        |
| Machine Size (LWH)           | 14000x2200x2100mm |

# KTNW-F

## Series Fully Automatic W Cut Non Woven Bag Making Machine





### Feature:

This W Cut non woven bag making machine is suitable to use roll non woven fabrics to make T-shirt bags fully Automatic. It has 1 line or 2 lines for your choice.



### Performance and Characteristics:

1. With PLC touch Screen Control System.
2. With Ultrasonic Sealing System.
3. Material feeding Control by Step motor.
4. Unwind with Auto Loading and EPC System.
5. With Auto Length Control System.
6. With Automatic Counting System.
7. With Auto Temperature Control System.
8. With Auto Photo Sensor Checking System.
9. T -shirt Bag with Auto W Cut and U Cut Punch system.



## Sample Details



## Main Technical Specification

| Model                   | KTNW-F               | KTNW-F2                     |
|-------------------------|----------------------|-----------------------------|
| Production Line         | 1 line               | 2lines                      |
| Material Thickness      | 30-120gsm            | 30-120gsm                   |
| Raw Material Width      | 600-1200mm           | 400-1200mm                  |
| Raw Material Diameter   | 800mm                | 800mm                       |
| Bag Making Speed        | 60-80pcs/min         | (100-110pcs/min) x 2        |
| T-shirt Bag Width       | 210-450mm            | (210-300mm) x2<br>210-450mm |
| T-shirt Bag Length      | 100-800mm            | 100-800mm                   |
| T-shirt Bag Side Gusset | 50-100mm             | 50-100mm                    |
| Total Power             | 7kw                  | 8kw                         |
| Machine Weight          | 2500kg               | 3000kg                      |
| Machine Voltage         | 220v/ 380v           | 220v/ 380v                  |
| Machine Size (LWH)      | 9500 x 2200 x 2100mm | 8500 x 1800 x 2100mm        |

# KTNW-G

## Series Roll Feeding One Time Forming Non Woven Box Bag Making Machine




### Feature:


This non woven box bag making machine is suitable to use roll type non-laminated or laminated PP non woven fabrics to make pp non woven box bag, laminated pp woven fabric to make box bottom pp woven bag, pp plastic film to make box bottom pp plastic bag in different size and thickness with good finished.

### Performance and Characteristics:

1. With PLC touch Screen control system.
2. Unwind with Auto loading and EPC system.
3. With Auto Length Control System.
4. With Auto Counting System.
5. With Auto Photo Sensor Checking System.
6. With Auto Bag Bottom "U" fold Function.
7. With Auto Bag Bottom "M" fold Function.



## Sample Details



## Main Technical Specification

| Model                                | KTNW-G                                                                                                              |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| Material                             | Non Woven Fabric / Laminated Non Woven Fabric / Laminated PP Woven Fabric / PP Plastic Film / RPET Non Woven Fabric |
| Bag Type                             | Soft Loop Handle Box Bottom Bag                                                                                     |
| Bag Making Speed                     | 70-80 bags/min                                                                                                      |
| Bag Making Width                     | 180-570mm (Standard)<br>110-570mm (Customized)                                                                      |
| Bag Making Height                    | 150-450mm                                                                                                           |
| Side Gusset Width                    | 35-100mm                                                                                                            |
| Side Width                           | 70-200mm (Standard)<br>70-220mm (Customized)<br>70-250mm (Customized)                                               |
| Bag Top Folding Width                | 40-80mm                                                                                                             |
| Soft Loop Handle Length              | 380-600mm (Standard)<br>380-700mm (Customized)                                                                      |
| Soft Loop Handle Width               | 25mm / 30mm                                                                                                         |
| Handle Welding Mold Size             | 21*23mm / 26*28mm                                                                                                   |
| Handle Welding Width                 | 85-200mm                                                                                                            |
| Max Unwind Jumbo Roll Width          | 1160mm                                                                                                              |
| Max Unwind Jumbo Roll Diameter       | 1200mm                                                                                                              |
| Machine Power                        | 15-20kw                                                                                                             |
| Machine Weight                       | 12500kg                                                                                                             |
| Machine Size (LWH)                   | 6000 x 8000 x 2500mm                                                                                                |
| Machine Power Support                | 4 Line 3 phase 220 / 380 / 440V 50 / 60HZ                                                                           |
| Lock Button Function                 | Optional                                                                                                            |
| 3 Unwind Different Color Function    | Optional                                                                                                            |
| Double Soft Loop Handle Function     | Optional                                                                                                            |
| 1-3 Non-woven Hanger Attach Function | Optional                                                                                                            |
| Washed Label Attach Function         | Optional                                                                                                            |


# KTNW-GI

## Series Roll Feeding Non Woven Insulated Bag Making Machine




### Feature:

This non woven insulated bag making machine is suitable for using roll-type laminated PP non woven fabrics to make pp non woven insulated bags in different size and thickness with good finished.



### Performance and Characteristics:

1. With PLC touch Screen control system.
2. Unwind with Auto loading and EPC system.
3. With Auto Length Control System.
4. With Auto Counting System.
5. With Auto Photo Sensor Checking System.
6. With Auto Bag Bottom "U" fold Function.
7. With Adhesive Label Attach Function.



## Sample Details

| Model                            | KTNW-GI                                   |
|----------------------------------|-------------------------------------------|
| Material                         | Laminated Non Woven Fabric                |
| Bag Type                         | Soft Loop Handle Insulated Bag            |
| Bag Making Speed                 | 40-60 bags/min                            |
| Bag Making Width                 | 180-570mm                                 |
| Bag Making Height                | 150-450mm                                 |
| Side Gusset Width                | 35-100mm                                  |
| Side Width                       | 70-200mm                                  |
| Bag Top Folding Width            | 40-80mm                                   |
| Soft Loop Handle Length          | 380-600mm                                 |
| Soft Loop Handle Width           | 25mm / 30mm                               |
| Handle Welding Mold Size         | 21*23mm / 26*28mm                         |
| Handle Welding Width             | 85-200mm                                  |
| Max Unwind Jumbo Roll Width      | 1160mm                                    |
| Max Unwind Jumbo Roll Diameter   | 1200mm                                    |
| Machine Power                    | 15-20kw                                   |
| Machine Weight                   | 12500kg                                   |
| Machine Size (LWH)               | 6000 x 8000 x 2500mm                      |
| Machine Power Support            | 4 Line 3 phase 220 / 380 / 440V 50 / 60HZ |
| Lock Button Function             | Optional                                  |
| Double Soft Loop Handle Function | Optional                                  |
| Washed Label Attach Function     | Optional                                  |

# KTNW-H

## Series Sheet Feeding One Time Forming Non Woven Shopping Bag Making Machine



### Feature:

This non woven shopping bag making machine is suitable to use sheet type laminated PP non woven fabrics to make pp non woven box bags, laminated pp woven fabric to make box bottom pp woven bags, pp plastic film to make box bottom pp plastic bags in different sizes and thickness with good finished.



### Performance and Characteristics:

1. With PLC touch Screen control system.
2. Unwind with Auto loading and EPC system.
3. With Auto Length Control System.
4. With Auto Counting System.
5. With Auto Photo Sensor Checking System.
6. With Auto Bag Bottom "U" fold Function.
7. With Auto Bag Bottom "M" fold Function.
8. Optional Lock Button Function.
9. Optional 3 Unwind Different Color Feeding Function.
10. Optional Double Soft Loop Handle Function.
11. Optional Hanger Attach Function.

## Sample Details



## Main Technical Specification

| Model                                | KTNW-H                                                                                                              |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| Material                             | Non Woven Fabric / Laminated Non Woven Fabric / Laminated PP Woven Fabric / PP Plastic Film / RPET Non Woven Fabric |
| Bag Type                             | Soft Loop Handle Box Bottom Bag                                                                                     |
| Bag Making Speed                     | 70-80 bags/min                                                                                                      |
| Bag Making Width                     | 180-570mm (Standard)<br>110-570mm (Customized)                                                                      |
| Bag Making Height                    | 150-450mm                                                                                                           |
| Side Gusset Width                    | 35-100mm                                                                                                            |
| Side Width                           | 70-200mm (Standard)<br>70-220mm (Customized)<br>70-250mm (Customized)                                               |
| Bag Top Folding Width                | 40-80mm                                                                                                             |
| Soft Loop Handle Length              | 380-600mm (Standard)<br>380-700mm (Customized)                                                                      |
| Soft Loop Handle Width               | 25mm / 30mm                                                                                                         |
| Handle Welding Mold Size             | 21*23mm / 26*28mm                                                                                                   |
| Handle Welding Width                 | 85-200mm                                                                                                            |
| Max Unwind Jumbo Roll Width          | 1160mm                                                                                                              |
| Max Unwind Jumbo Roll Diameter       | 1200mm                                                                                                              |
| Machine Power                        | 15-20kw                                                                                                             |
| Machine Weight                       | 12500kg                                                                                                             |
| Machine Size (LWH)                   | 6000 x 8000 x 2500mm                                                                                                |
| Machine Power Support                | 4 Line 3 phase 220 / 380 / 440V 50 / 60HZ                                                                           |
| Lock Button Function                 | Optional                                                                                                            |
| 3 Unwind Different Color Function    | Optional                                                                                                            |
| Double Soft Loop Handle Function     | Optional                                                                                                            |
| 1-3 Non-woven Hanger Attach Function | Optional                                                                                                            |
| Washed Label Attach Function         | Optional                                                                                                            |

# KTHF-B

## Model Non Woven Loop Handle Bag Making Machine



### Feature:

This non woven bag soft loop handle bag making machine used for non woven soft-loop handle bag handle fixing in 2 times 1 bag finish.

### Performance and Characteristics:

1. Use Non Woven Fabric or PP Woven Fabric.
2. With PLC Touch Screen.
3. With Auto Length Control System.
4. With Auto Counting System.

### Main Technical Specification

| Model              | KTHF-B               |
|--------------------|----------------------|
| Handle Length      | 380-600mm            |
| Handle Width       | 25-30mm              |
| Material Thickness | 50-150gsm            |
| Machine Power      | 15pcs/min            |
| Machine Weight     | 550kg                |
| Machine Size       | 2100 x 1100 x 1200mm |

# KTHF-C

Model Non Woven

Carry Bag Making Machine



## Feature:

This non woven bag soft loop handle fixing machine use for non woven soft-loop handle bag handle fixing in 1 time 1 bag finish.

## Performance and Characteristics:

- 1.This machine applies for non woven materials.
- 2.It is equipped with computer touch screen.
- 3.Step motor to control the length and photo electricity to track.
- 4.With auto-counting alarming.

## Main Technical Specification

| Model              | KTHF-C               |
|--------------------|----------------------|
| Handle Length      | 380-600mm            |
| Handle Width       | 25-30mm              |
| Material Thickness | 50-150gsm            |
| Speed              | 30pcs/min            |
| Machine Weight     | 850kg                |
| Machine Size       | 2100 x 1100 x 1800mm |

# KTHF-D

## Model PP Woven Bag Soft Loop Handle Fixing Machine



### Feature:

This PP woven bag soft loop handle fixing machine use for pp woven soft-loop handle bag handle fixing in 1 time 1 bag finish.

### Performance and Characteristics:

- 1.This machine applies for non woven materials.
- 2.It is equipped with computer touch screen.
- 3.Step motor to control the length and photo electricity to track.
- 4.With auto-counting alarming.

### Main Technical Specification

| Model              | KTHF-D               |
|--------------------|----------------------|
| Handle Length      | 380-600mm            |
| Handle Width       | 25-30mm              |
| Material Thickness | 50-150gsm            |
| Speed              | 30pcs/min            |
| Machine Weight     | 850kg                |
| Machine Size       | 2100 x 1100 x 1800mm |