



KETE GROUP LIMITED



www.ketegroup.com

Company: **KETE GROUP LIMITED**

Office Add: 13th Floor, New Nongmao Building, Shangwang
Street Ruian City, Zhejiang Province, China.325200

Tel/Fax: +85-577-66873227 / 66689036 / 66689037

E-mail: sales@ketegroup.com

Skype: ketegroup QQ:1285582818



+86 18806770163 (WhatsApp/Wechat)



App



Wechat



KETE GROUP LIMITED

KTPC Series

Wine Capsule Machine



Perfect Solutions For Wine、Spirits、Sparkling Wine、
Olive Oil、Beverages Packaging Industry

www.ketegroup.com

Flexible Printing and Packing Machinery Efficient Manufacturing



KETE GROUP LIMITED as a comprehensive company and professional flexible packaging machines manufacturer was founded in **July 2011** by multifunctional printing and packaging machine factories in China. we use **"KETE"** as a leader brand for foreign market business. We can provide sustainable vertically integrated machinery solutions for printing and packaging and converting machines.

In order to create more value and offer the one-step service for our customers, year by year we collect all the knowledge and resource to service our customers with complete solutions. Main included the non woven bag production line, paper bag production line, plastic bag production line, label production line, wine capsules

production line, Rhinestones production line etc. Paper straws production line

We had passed **ISO9001:2008** quality certificated system and **CE** safety certificated system, **RoHS** health safety certificated system. Benefit from good technology and capital resource, we pay high attention to the new product innovation and environmental protection. We are continuing increase our R&D and Technology invest for paper bag making machine, non woven bag making machine, degradable plastic bag making machine, water base flexographic printing machine and water base rotogravure printing machine. KETE People will keep Innovation for environmental responsibility.

In future we will keep our slogan **"Your Success is our Business"** continue creating value for customers and achieve self-worth. We are looking forward to cooperate with you soon!



What Makes Us The Right Choice


We will help you choose the right converting machines for your business needs so you can increase production capacity, improve efficiency and quality

High Value Products

KETE engineers seriously give feedback or discussion for your every single inquiry, and listening your idea to satisfy with your customized requirement by integrating all resources and gathering all the experiences we have.

We Know More Than You Want

Our trained inspectors ensure every part will be well produced and inspected according to your specified standard and tolerances, with flexible manual measurement and high-tech measuring instrument. The inspection report from the third-party can also be issued.



KTPC-C

Series Fully Automatic Wine Capsule Machine



Feature:

This Wine Capsule machine uses the shrinkable PVC or PET film or Polylaminate material to make Wine Capsules with different optional functionalities. It is widely used for red wine bottle, white wine bottle, yellow wine bottle, beer bottle, condiment bottle, olive oil bottle security sealing.

Machine Function:

1. Skirt Horizontal Perforation.
2. Skirt Vertical Perforation.
3. Skirt C Punch Function.
4. Skirt 1 Color / 2 Colors Hot Stamp.
5. Skirt Horizontal Tear-off Tape.
6. Top Disc 1 color / 2 Colors Hot Stamp.
7. Top Disc 1 Color Raised Printing.
8. Top Disc Emboss and Breath Hole.
9. Capsules Online Inspection .

Sample Show



Main Technical Specification

Model	KTPC-C		
Materials	Shrink PVC Film / PET Film/Poly laminate	Capsules Taper	1.5°~5°
PVC /PET Film Thickness	70-75mic	Unwind Diameter	600mm
Poly laminate Material Thickness	100-120mic	Unwind Width	115mm
Capsules Top Diameter	φ28mm~φ34mm	Total Power	12.5kw
Capsules Bottom Diameter	φ30mm~φ36mm	Machine Weight	3500kg
Capsules Height	30mm~70mm	Machine Size	5200 x 2200 x1800mm
Speed	100-120Capsules/min	Power Support	3 Phase 220/380/440V 50/60HZ



KTPC-D

Series High Speed Fully Automatic Wine Capsule Making Machine



Feature:

This Wine Capsule Making Machine use the shrinkable PVC or PET film or Poly laminate material to make Wine Capsules with different optional functional. it is widely use for red wine bottle, white wine bottle, yellow wine bottle, beer bottle, condiment bottle, olive oil bottle security sealing.

Machine Functions:

- 1.Skirt Horizontal Perforation.
- 2.Skirt Vertical Perforation.
- 3.Skirt C Punch Function.
- 4.Skirt 1 Color /2 Colors Hot Stamp.
- 5.Skirt Horizontal Tear-off Tape.
- 6.Top Disc 1 color / 2 Colors Hot Stamp.
- 7.Top Disc 1 Color Raised Printing.
- 8.Top Disc Emboss and Breath Hole.
- 9.Capsules Online Inspection .

Sample Show



Main Technical Specification

Model	KTPC-D		
Materials	Shrink PVC Film / PET Film/Polylaminate	Capsules Height	55 – 80mm
Unwind Diameter	600mm	Speed	150-180Capsules/min
Unwind Width	130mm	Capsules Taper	1.5°~5°
PVC /PET Film Thickness	70-75mic	Total Power	25kw
Polylaminate Material Thickness	100-120mic	Machine Weight	4500kg
Capsules Top Diameter	φ28 – φ40mm	Machine Size	6800x3000x2000mm
Capsules Bottom Diameter	φ29 – φ41mm	Power Support	3 Phase 220/380/440V 50/60HZ



KTPC-E

Series High Speed Fully Automatic Champagne Capsule Machine



Feature:

This Champagne Capsule machine uses the Aluminum Foil material to make champagne capsules with different optional functional. it is wildly used for champagne or sparkling wine bottle sealing.

Machine Function:

- 1.Skirt Horizontal Perforation.
- 2.Skirt Hole Punching.
- 3.Skirt 1 Color Hot Stamp.
- 4.Skirt 2 Color Hot Stamp.
- 5.Skirt 3 Color Hot Stamp .
- 6.Skirt 1 Color Raised Printing.
- 7.Skirt Horizontal Tear-off Tape.
- 8.Top Disc 1 Color Hot Stamp.

Sample Show



Main Technical Specification

Model	KTPC-E		
Materials	Polylam Material	Speed	120-150Capsules/min
Unwind Diameter	600mm	Total Power	22kw
Unwind Width	150mm	Machine Weight	5500kg
Capsules Diameter	33-50mm	Machine Size (LWH)	7000 x 3200 x2000mm
Capsules Height	70-135mm	Power Support	3 Phase 220/380/440V 50/60HZ
Material Thickness	50-70mic		



KTPC-A

Series Wine Bottle Capsule Machine



Feature:

This Wine Bottle Capsule Machine uses shrinkable PVC or PET tube film to make the Shrink PVC or PET Capsules with or without top disc, and different optional functions. It is widely used for red wine bottles, white wine bottles, yellow wine bottles, condiment bottles, olive oil bottles, heat shrink sealing.

Performance and Characteristics:

1. Use Tube Sleeve Shrink PVC or PET Material.
2. Skirt Optional Horizontal Perforation.
3. Skirt Optional Vertical Perforation.
4. Top Disc Laminated Aluminum Foil.
5. Top Disc No Shrink PVC Film.
6. Skirt and Top Disc Printed Material.
7. With Auto Counting System.
8. Use PLC Touch Screen System.

Sample Show




Main Technical Specification

Model	KTPC-A
Materials	Shrink PVC Film or PET Tube Film
Unwind Diameter	1000mm
Capsules Top Diameter	φ28mm-φ34mm
Capsules Bottom Diameter	φ30mm-φ36mm
Capsules Height	30mm-70mm
Film Thickness	30-70mic
Speed	20-80pcs/min
Total Power	3.5kw
Machine Weight	1000kg
Machine Size (LWH)	2400 x 2200 x1800mm
Power Support	3 Phase 220/380/440V 50/60HZ



KTPC-AB

Series PVC Heat Shrink Film Wine Capsule Making Machine




Feature:

This PVC Heat Shrink Film Wine Capsule Making Machine uses the shrinkable PVC or PET Tube film to make the Shrink PVC or PET Capsules with or without top disc, and different optional functional. it is wildly used for a water tank or beer tank security sealing.

Performance and Characteristics:

1. Use Tube Sleeve Shrink PVC or PET Material.
2. Skirt Optional Horizontal Perforation.
3. Skirt Optional Vertical Perforation.
4. Top Disc Laminated Aluminum Foil.
5. Top Disc No Shrink PVC Film.
6. Skirt and Top Disc Printed Material.
7. With Auto Counting System.
8. Use PLC Touch Screen System.

Sample Show



Main Technical Specification

Model	KTPC-AB
Materials	Shrink PVC Film or PET Tube Film
Unwind Diameter	1000mm
Tube Film Diameter	≥36mm
Capsules Height	20mm~70mm
Film Thickness	30-70mic
Speed	20-80pcs/min
Total Power	3.5kw
Machine Weight	800kg
Machine Size	2400 x 2200 x1800mm
Power Support	3 Phase 220/380/440V 50/60HZ

KTPC-AG

Series Heat Shrink Gas Capsule Making Machine



Feature:

This Heat Shrink Gas Capsule Making Machine uses shrinkable PVC or PET film to make the Shrink PVC or PET Capsules with or without top pp cap, and different optional functional. it is wildly used for gas cap security sealing.

Performance and Characteristics:

1. Use Tube Sleeve Shrink PVC or PET Material.
2. Skirt Optional Horizontal Perforation.
3. Skirt Optional Vertical Perforation.
4. Top Disc Laminated Aluminum Foil.
5. Skirt and Top Disc Printed Material.
6. With Auto Counting System.
7. Use PLC Touch Screen System.
8. Auto add Top PP Cap.

Sample Show



Main Technical Specification

Model	KTPC-AG
Materials	Shrink PVC Film or PET Film + PP Cap
Unwind Diameter	1000mm
PP Cap Diameter	φ26-φ32mm
Capsules Top Diameter	φ28mm~φ34mm
Capsules Bottom Diameter	φ30mm~φ36mm
Capsules Height	30mm~70mm
Film Thickness	30-70mic
Speed	20-80pcs/min
Total Power	3.5kw
Machine Weight	1000kg
Machine Size	2400 x 2200 x1800mm
Power Support	3 Phase 220/380/440V 50/60HZ

KTGS-A

Series Fully Automatic Shrink Sleeve Seaming Machine



Feature:

This High-Speed shrink sleeve seaming machine is used to seam PVC or PET Shrink film material into tube type. it is widely used for bottle labels or wine bottle capsules or security sealing capsules.

Performance and Characteristics:

- 1.Unwind Tension Magnetic Power Brake.
- 2.Unwind use EPC Control System.
- 3.In-feed By Inverter Control.
- 4.Rewind By Inverter Control.
- 5.Use PLC Touch Screen.
- 6.Optional Vertical Perforation.

Main Technical Specification

Model	KTGS-A250
Raw Material	PVC / PET / PET-G Shrink Film
Film Thickness	20-80 mic
Max. Unwind Diameter	500mm
Max. Unwind Width	60-600mm
Center Sealing Precision	±0.3mm
Max. Rewind Diameter	700mm
Max. Rewind Width	250mm
Seaming Speed	250-300m/min
Rewind Tension Range	5-50N
Machine Power	3.5kw
Machine Weight	about 1000kg
Machine Size (LWH)	3700 x 1500 x 1750mm
Power Support	3 Phase 220/380/440V 50/60HZ

KTIM-B

Series Shrink Sleeve Inspection Machine



Feature:

This Shrink Sleeve inspection machine is specialized for PVC or PET Roller label inspection or rewind, It is can test the print quality, folding and glue sealing quality and label length specifications, etc. it is widely used for bottle label or wine bottle capsules or security sealing capsules.

Performance and Characteristics:


- 1.Unwind Tension Magnetic Power Brake.
- 2.Unwind use EPC Control System.
- 3.In-feed By Inverter Control.
- 4.Rewind By Inverter Control.
- 5.Use PLC Touch Screen.
- 6.Optional Vertical Perforation.
- 7.With Web Video Inspection Light.

Main Technical Specification

Model	KTIM-B250
Raw Material	PVC / PET / PET-G Tube Shrink Film
Film Thickness	20-80 mic
Unwind Diameter	700mm
Unwind Width	250mm
Max. Rewind Diameter	700mm
Inspection Speed	250m/min
Machine Power	3.5kw
Machine Weight	about 850kg
Machine Size (LWH)	2700 × 1100 × 1650mm
Power Support	3 Phase 220/380/440V 50/60HZ

KTDC-IS

Series Shrink Sleeve D-Cutting Machine



Feature:

This Series Shrink Sleeve D-Cutting Machine is suitable for cutting shrink sleeve, paper, label etc.

Main Technical Specification

Model	KTDC-IS
Max. Material Width	300mm
Unwind Diameter	Φ600mm
Max. Cutting Speed	300times/min
Total Power	1.1Kw
Machine Weight	600kg
Machine Size (LWH)	2100 × 700 × 1000mm
Power Support	3 Phase 220/380/440V 50/60HZ

Performance and Characteristics:

1. Microcomputer Control System.
2. Material feeding by Stepping Motor.
3. Main Motor use Inverter Control.
4. Unwind Roller use Air-shaft Type.
5. With Length Control System.
6. With Automatic Counting System.
7. Optional Vertical Perforation.
8. Optional Horizontal perforation.

KTMS-C

Series Rotogravure Printing Machine



Feature:

This Computer Color Register Rotogravure Printing Machine is suitable for roll to roll printing materials such as BOPP, CPP, PET, PVC, PE, Nylon, Metalized Film, Paper, Cellophane, Aluminium Foil, etc. It is widely used in high-quality packaging material printing industries.

Performance and Characteristics:

1. Independent Rotary type Unwinder and Rewinder.
2. Unwinder and Rewinder Auto Splicing and Cutting.
3. Doctor Blade Pneumatic Type Design.
4. Doctor Blade Moving Controlled by Separate Motor.
5. Shaft-less Printing Cylinder loading Design.
6. With 7 Motor Drive Tensional Control System.
7. Auto Ink Recycle System.
8. With Computer Auto Color Register System.
9. With Web Video Inspection System.
10. Optional: Water Chilling System.
11. Optional: Reverse Printing Turn Bar.

Main Technical Specification:

Model	KTMS-C
Printing Colors	4 - 12 colors
Printing Width	600 mm up to 1800mm
Printing Speed	150-160m/min (Cylinder Diameter $\geq$ 160mm)
Unwind Diameter	Φ 600mm / Φ 800mm
Rewind Diameter	Φ 600mm / Φ 800mm
Printing Cylinder Diameter	Φ 120mm~ Φ 300mm
Color Register Precision	$\pm$ 0.12mm (Vertical, BOPP or PET)
Heating Way	Electrical heating
Drying Method	Electric Heating (144KW) 8 colors
Total Power	About 200kw
Machine Weight	About 25000kg
Machine Power	3 Phase 220 / 380 / 440v 50/60Hz
Machine Size (LWH)	17800 x 3700 x 3100(mm)